



ഭാരത സർക്കാർ
Government of India




പേര്
RAJESH

പിതാവ്
Father AGATHEESEARAN

ജനന തീയതി : DOB 10/05/1988

ലിംഗം : Male

6048 8497 9565



ആധാർ - സാധാരണക്കാരന്റെ അറവകാശം



ഭാരതീയ സർവ്വസമം തിരിച്ചറിയൽ അതോറിറ്റി
Unique Identification Authority of India

താല്പീഡനം, തെയ്യർ, പാത്തി പാലം
Address: MARYOOR,
PATHADI PALAM, Marayoor
Marayur, Idukki, Kerala,
685620

6048 8497 9565



1947
800 300 1947
✉ help@uidai.gov.in

WWW
www.uidai.gov.in



Registration Certificate
Government of Kerala
Commissionerate of Food Safety
Food Safety and Standards Authority of India
Registration Certificate under FSS Act, 2006



/ Registration Number: 21324174000650



- | | |
|--|---|
| 1. Name and permanent address of Food Business Operator (FBO) | SANDAL VALLEY HOME STAY AND COTTAGE
RAJESH A PATHADIPALAM MARAYOOR P O , Devikulam Circle, Idukki, Kerala-685620 |
| 2. Address of location where food business is to be conducted / premises | SANDAL VALLEY HOME STAY AND COTTAGE, MARAYOOR P O, Devikulam Circle, Idukki, Kerala - 685620 |
| 3. Kind of Business | Retailer |
| 4. Photo Identity Card | N/A |



This Registration certificate is issued under and is subject to the provisions of FSS Act, 2006 all of which must be complied with by the petty food business.

Place / Idukki
Issued On / 29-08-2024 (New Registration)
Valid Upto: 28-08-2025 (For details, refer Annexure)

Registering Authority

Date : 29-08-2024 19:02:55
User Id : 108594
License Issued On : 29-08-2024 19:02:55

Annexures:

1. Product Annexure
2. Validity Annexure
3. Registration Id Card

Note:

1. Application for renewal of Registration Certificate can be filed as early as 180 days prior to expiry date of Registration Certificate. You can file application for renewal or modification of Registration Certificate by login into FSSAI's Food Safety Compliance System(<https://foscoc.fssai.gov.in>) with your user id and password or call us at 1800112100 for any clarification.
2. This Registration Certificate is only to commence or carry on food businesses and not for any other purpose.
3. This is computer generated Registration Certificate and doesn't require any signature or stamp by authority.
4. This Registration Certificate is allowed to conduct food businesses activities having annual turnover upto Rs. 12 Lacs only.

Product Annexure

Registration Certificate
Government of Kerala
Commissionerate of Food Safety
Food Safety and Standards Authority of India
Registration Certificate under FSS Act, 2006



fssai

/ Registration Number: 21324174000650
Detail(s) of Food Item

[Note: Only standardised food products are allowed to be manufactured as per the list available on FoSCoS.]

Other than Manufacturer Unit	
Sl. No	Name of the food category
1	16 - Prepared Foods

Validation And Renewal Annexure



Registration Certificate
Government of Kerala
Commissionerate of Food Safety
Food Safety and Standards Authority of India
Registration Certificate under FSS Act, 2006



/ Registration Number: 21324174000650

Validity From	Validity Upto	Issued On	Fee Paid	Type
29-08-2024	28-08-2025	29-08-2024	100 INR	New

Suspension History

S.No	History	Date
	N/A	

Current Status of Registration: Registration Certificate issued

Note:

1. Application for renewal of Registration Certificate can be filed as early as 180 days prior to expiry date of Registration Certificate. You can file application for renewal or modification of Registration Certificate by login into FSSAI's Food Safety Compliance System(<https://foscoc.fssai.gov.in>) with your user id and password or call us at 1800112100 for any clarification.

Registration ID Card

fssai

Registration ID: 21324174000650

Valid Upto: 28-08-2025

Name: SANDAL VALLEY HOME
STAY AND COTTAGE

Address: SANDAL VALLEY HOME
STAY AND COTTAGE,
MARAYOOR P O,
Devikulam Circle, Idukki,
Kerala - 685620



KOB: Retailer


Govt ID Card: N/A

Issuing Authority: Idukki


Issued On: 29-08-2024

[Disclaimer: This Registration ID card is issued only for the provisions laid down under Food Safety and Standards Act, 2006 and hence, shall not be used for any other purpose.]

SO MR. AGATHESHWARAN, PATHADIPPALAM, MARAYOOR, IDUKKI 685620



FIRST FLOOR PLAN
SCALE-1:100



GROUND FLOOR PLAN
SCALE-1:100

DOOR	SIZE
D	100X210
D1	90X210
D2	75X210
W2	100X200
W	50X200
V	50X50

PL O T	D E T A I L S
PANCHAYATH	MARAYOOR
VILLAGE	MARAYOOR
TALUK	DEVIKULAM
DISTRICT	IDUKKI
RE SV. NO	219/2-3
BLOCK NO	48
PLOT AREA	20.21 ARE
BUILDING NO.	
NO. WARD	PILOT WARD 3
ELECTRIC POST NO	

A R E A	D E T A I L S
FLOOR	BUILT-UP AREA M ²
GROUND FLOOR	139.83
FIRST FLOOR	139.35
TOTAL	279.18
	BUILT-UP AREA SQFT
	1503.11
	1499.95
	3003.06

AREA IN SQ.FT = 3003.06 SQ.FT
AREA IN CENT = 6.89 CENT

SCALE 1:100
DATE 16/06/2015
UNITS CM. OTHER WISE SPECIFIED

SIGNATURE OF Engineer



KERALA POLICE
NON-INVOLVEMENT IN OFFENCES
CERTIFICATE (NIOC)



Application Number : **15294028-2024-7-00222**
Date of application : **31/08/2024**

NIOC issued at : **MARAYOOR Police Station**
Date of issue of NIOC : **01/09/2024**

Name: **RAJESH A**
Date of Birth: **05/10/1988**
Name of Relative: **AGADEESWARAN (Father)**
Identity Card No: **AADHAR CARD(UIDAI) - #####9565**



This is to certify that, as on **01/09/2024**, no criminal case is pending against **RAJESH A**, aged **35** in Kerala Police, who has the following address details.

Permanent address	Present address
ANANICKAL H, 9/182/2, KOODAVAYAL MARAYOOR, MARAYOOR, MARAYOOR, 685620, MARAYOOR POLICE STATION, IDUKKI, KERALA, INDIA.	ANANICKAL H, 9/182/2, KOODAVAYAL MARAYOOR, MARAYOOR, MARAYOOR, 685620, MARAYOOR POLICE STATION, IDUKKI, KERALA, INDIA.

Certificate issued by:

Jiju T R
Inspector of Police
MARAYOOR Police Station
Tel: 4865252210
Email: simryrpsidk.pol@kerala.gov.in

Digitally Signed by:
Jiju T R

Date: 01-Sep-2024



This is a computer generated document and does not require the signature or the stamp in order to be considered valid.

Scan the QR Code to check authenticity of the document. Please ensure that the certificate is shown under the url:

<https://thuna.keralapolice.gov.in/documentVerifier?>

5CBC1A7E69617E4D1C3054EA57B1FB65 which is the authorized origin of the certificate.



രാഷ്ട്രീയം നമ്പർ (Identification Number) 1500
 മാസിക വരുമാനം (Monthly Income) 1500
കാർഡ് നമ്പർ (Card Number) 16290469804
 രാഷ്ട്രീയം നമ്പർ (Ration Allocation) 01865 264224
 ഓഫീസ് നമ്പർ (Office Phone Number) 9188527367
 (Bank Supply Officer) 9188527692
 രാഷ്ട്രീയം പരിശോധകൻ (Rationing Inspector) 1629113
 (TTS ID)



കാർഡ് ഉടമസ്ഥൻ (Card Type) NPS / **മുഖ്യ അംഗം (Head of Family)**
 @mujap
 Thressia
വിലാസം (Address)
 12/15,
 പുത്തൻപുഴ,
 മുട്ടുപുഴ റേഷൻ കേന്ദ്രം,
 മുട്ടുപുഴ ഗ്രാമപഞ്ചായത്ത്,
 പൂനമ്പറ്റ,
 കോർപ്പറേഷൻ പാർച്ചയ്ക്ക്.
 PIN: 685620.

രാഷ്ട്രീയം നമ്പർ മാറ്റിനിർത്തിക്കൊണ്ടിരിക്കുന്നു
 Ration Supply Office/Devukulam
 This is a computer generated card. It does not require seal/signature. Its authenticity can be verified at www.cksupplykerala.gov.in
 അപരിശോധനാ കമ്മിറ്റി/റേഷൻ നമ്പർ 1967 / 1800 425 1550

നാമം: M. Madu, I. Femba, I. Transigender
 നാമം: M. Madu, I. Femba, I. Transigender

NRK - തുടർനടപടികൾ

അംഗം നമ്പർ (Member ID)	നാമം (Name)	വയസ്സ് (Age)	ബന്ധം (Relation)	മുദ്ര (Designation)	അംഗം നമ്പർ (NRK)
162904698001	M. Madu	35	കാർഡ് ഉടമസ്ഥൻ (Card Owner)	ഗൃഹസ്ഥൻ (House hold affairs)	XXXX8271
162904698003	Rajesh	34	പുത്രൻ (Son)	സ്വയം-യോഗ്യ (Self Employed)	XXXX9565
162904698005	Rajkumar	32	പുത്രി (Son)	അന്യോന്യം (Unemployed)	XXXX5152
162904698004	Agudheeswaran	59	ഭർത്താവ് (Husband)	അപ്രയോഗ്യ (Not applicable)	XXXX3739

രാഷ്ട്രീയം നമ്പർ മാറ്റിനിർത്തിക്കൊണ്ടിരിക്കുന്നു
 രാഷ്ട്രീയം നമ്പർ മാറ്റിനിർത്തിക്കൊണ്ടിരിക്കുന്നു
 നിലവിലുള്ള കാർഡ്/ Card Issuing Date: 19-07-2019



291837121643731

ലോകത്ത് ഹെൽത്ത് അതോറിറ്റി
 റെജിർ (ഗവൺമെന്റ്)
 കൂടുതലായ ആരോഗ്യ കേന്ദ്രം/ സൗകര്യകരമായ ആരോഗ്യ കേന്ദ്രം റെജിർ

സാനിറ്ററി ഫിറ്റ്നസ് സർട്ടിഫിക്കറ്റ്

(കേരള പബ്ലിക് ഹെൽത്ത് അതോറിറ്റി നിയമം 21 പ്രകാരം)

ശ്രീ രാജേഷ്. എ. ന്റെ ഉടമസ്ഥതയിൽ ഉള്ളതും റെജിർ (ഗവൺമെന്റ്) എന്ന കെട്ടിട നമ്പർ 9/152-2-ൽ സ്ഥിരമായി വസിക്കുന്നതുമായ സ്ഥലത്തിന് (പ്രാ. പേരിലുള്ള സ്ഥാപനം/ഹോട്ടൽ/കുടുംബശ്രീ/സ്കൂൾ/വർക്ക് ഷോപ്പ് മേൽപ്പറഞ്ഞ സ്ഥാപനമായത് അധികാപെരിയറ്റുള്ള ഹെൽത്ത് ഇൻസ്പെക്ടർ ആയ ഹെൽത്ത് ഫിസിയോഡന നടത്തിയിട്ടുണ്ട്.

മേൽ പറഞ്ഞ സ്ഥാപനത്തിന്റെ ശുചിത്വം പരിശോധന സമയത്ത് തൃപ്തികരമാണ്. സ്ഥാപനത്തിൽ ഉപയോഗിക്കുന്ന വെള്ളം, വെളിച്ചം, വെർച്വൽ സൗകര്യം, ടോയ്ലറ്റ് വെളിച്ചം, ചൂടും, പുകയും പുറത്തേക്ക് തള്ളിക്കളയുന്നതിനുള്ള സംവിധാനം, ടോയ്ലറ്റ് സംവിധാനം, കീട/എലി നിയന്ത്രണം, ജീവനക്കാരുടെ ആരോഗ്യം ഉൾപ്പെടെയുള്ളവ പരിശോധന സമയത്ത് തൃപ്തികരമാണ്. സ്ഥാപനം വൃത്തിയിലും & ആരോഗ്യപരമായും സൂക്ഷിച്ചിട്ടുണ്ട്.

ഈ സർട്ടിഫിക്കറ്റ് ഉടമയുടെ അപേക്ഷയുടെ അടിസ്ഥാനത്തിൽ കേരള പബ്ലിക് ഹെൽത്ത് അതോറിറ്റി നിയമം 21 പ്രകാരം സ്ഥാപനത്തിൽ പ്രവേശിപ്പിച്ച് സൂക്ഷിക്കുന്നതിന് അനുവദിച്ചിട്ടുള്ളതും 31.3.2026 ന് കാലാവധി അവസാനിക്കുന്നതുമാകുന്നു.

ഹെൽത്ത് അതോറിറ്റി/ഹെൽത്ത് ഓഫീസറുടെ പരിശോധന സമയത്ത് സ്ഥാപനം ആരോഗ്യപരമാണെന്നും, ശുചിത്വപരിതമായും കാണപ്പെടുമ്പോൾ ഈ സർട്ടിഫിക്കറ്റ് റദ്ദ് ചെയ്യുന്നതും ഉടമയ്ക്കെതിരെ നിയമ നടപടി സ്വീകരിക്കുന്നതുമാണ്.

സ്ഥലം : **മുളർ**
 തിയ്യതി : 10.08.2025

ഹെൽത്ത് ഇൻസ്പെക്ടർ



HEALTH INSPECTOR
 HEALTH CENTRE
 MARAYOOR

കുറിപ്പ് : കേരള പബ്ലിക് ഹെൽത്ത് അതോറിറ്റി നിയമം 21 പ്രകാരം വ്യക്തിഗത താമസ സ്ഥലങ്ങൾ ഒഴികെയുള്ള എല്ലാ സ്ഥാപനങ്ങളും ഹെൽത്ത് ഇൻസ്പെക്ടറുടെ സാന്നിദ്ധ്യത്തിൽ സർട്ടിഫിക്കറ്റ് എടുക്കാനും വാങ്ങി സൂക്ഷിക്കേണ്ടതും, ഇത് ലഭിക്കുന്ന പക്ഷം 250 രൂപയിൽ കമ്പ്യൂട്ടറൈസ് ചെയ്തുകൊടുക്കുന്നതും, തുടർച്ചയായ ലംഘനത്തിന് ഓരോ ദിവസത്തേക്കും 100 രൂപ പിഴയടക്കം സാധ്യമാകുന്നു.



Mariyoor Grama Panchayat, Idukki, Kerala

Receipt

Receipt No : 1240100951 / G060201
 Date : 04-11-2024
 UniqueID : null
 GST : null

Mode of Payment :
 Cash
 To : Cash

Head Code	Name and Address : RAJESH, AVANICKAL, Ward:9, No : 182/A.	Description	Period	Arrear	Current	Total
431100101		Receivables For Property Tax On Residential Buildings(Current)	2024-2025 - First Half		227.00	227.00
350300101		Government And Other Dues Payable - Library Cess	2024-2025 - First Half		12.00	12.00
431100101		Receivables For Property Tax On Residential Buildings(Current)	2024-2025 - Second Half		234.00	234.00
350300101		Government And Other Dues Payable - Library Cess	2024-2025 - Second Half		12.00	12.00
140200101		Penalties And Fines - Penal Interest	2024-2025 - Full Year		10.00	10.00
Grand Total : 495						

Remarks
 Counter No
 Name and Designation of Counter Staff
 Aravind S Prasad Senior Clerk



Cheques / electronic payments subject to realisation.



KERALA WATER AUTHORITY

email: kwaqc_admatalud@gmail.com

QUALITY CONTROL SUBDISTRICT LAB, ADIMALY-685551

WATER TEST REPORT

Report No : KWA/QCSDL/ADM/F/5/1356/25		Report issue date 25.07.2025			
Customer Name & Address		Date of Receipt of Payment	16.07.2025		
Rajesh Sandal Valley Homestay Koodavayal Marayoor		Date of Sample Received	18.07.2025		
		Sampling Given by	Customer		
		Sample Code	AP/1356		
		Sample receiving condition	Colourless, Odourless		
		Source of Sample	Well		
		Sample Quantity	2 Ltr		
		Test performing dates	18.07.2025		
Sl.No	Characteristics	Unit	Test Method	Acceptable Limit as per IS 10500-2012	Result
1	Electrical conductivity	micromhos/cm	IS 3025 (Part 14)-2013		186.9
2	Iron (as Fe)	(mg/litre)	IS 3025 (Part 53)-2003	1.0	0.44
3	Nitrate (as NO ₃)	(mg/litre)	Phenol Di Sulphonic Acid Method	45.00	8.86

Remarks:-

NB:-The result stated above related only to the sample(s) submitted for testing by the customer. The test certificate shall not be reproduced except in full without the written approval of the Laboratory.

Analysed by
Name & Designation
Quality Control Subdistrict Lab
Kerala Water Authority
Adimaly 685551

KWA/QCSDL/ADM/F/05	Issue : 1	Issue Date : 01.11.2021
Rev No. 9	Rev.Date : 24.09.2024	Page 2 of 3

End of Report



KERALA WATER AUTHORITY

email: kwagc.adimalysdl@gmail.com

QUALITY CONTROL SUBDISTRICT LAB ADIMALY-685561

WATER TEST-BACTERIOLOGY REPORT

Report No. KWA/QCSDL/ADM/F/5/1356/25	Report issue date 26/07/2025
Customer Name & Address Rajesh Sandal Valley Homestay Koodavayal Marayoor	Date of Receipt of Payment 16.07.2025
	Date of Sample Received 18.07.2025
	Sampling Given by Customer
	Sample Code AP/1356
	Sample receiving condition Colourless Odourless
	Source of Sample Well
	Sample Quantity 125 ml
	Test performing dates From 18/07/2025 To 26/07/2025

Sl. No.	Source	Test Method	Acceptable limit as per IS 10500:2012	No of Coliforms per 100ml of sample	E.Coli in 100ml of sample
1	Water sample submitted by the customer	IS 15185:2016(Reaffirmed 2021)	Shall not be detected/100 ml	More than 100 CFU/100 ml	Nil

Remarks:-

NB:-The result stated above related only to the sample(s) submitted for testing by the customer. The test certificate shall not be reproduced except in full without the written approval of the Laboratory.

[Signature]

Analysed by
Name & Designation

KWA/QCSDL/ADM/F/05	Issue : 1	Issue Date : 01.11.2021
Rev No. 9	Rev.Date : 24.09.2024	Page 3 of 3

End of Report